67113-A2

2061186889

Source: https://www.industrydocuments.ucsf.edu/docs/skfy0003

67113-A2

★Cambridge★

Important: Read Carefully!

Failure to comply may result in burn injury. DANGER–lighter contains butane gas under pressure. Extremely Flammable. Do not use near fire or flame. Do not puncture, incinerate or expose to temperature from sun or otherwise above 120°F. Do not attempt to refill. As with all lighters, hold away from face while lighting. CAUTION: Be sure flame is extinguished after use. KEEP AWAY FROM CHILDREN.

To adjust flame:

Remove lighter from case. With lighter lit, move lever toward + for higher flame, toward – for lower flame.

Keep away from children.

GUARANTEE

Should your Scripto lighter prove defective under normal use, return it for replacement. For an approved lighter mail bag, write to Scripto-Tokai, P.O. Box 5555, Fontana, CA 92334-5555, (800) 241-8552 Ext. 426

Lowest: Kings 1 mg "tar," 0.1 mg nicotine; 100's 2 mg "tar," 0.2 mg nicotine—Ultra Lights: 6 mg "tar," 0.4 mg nicotine—Lights: 11 mg "tar," 0.9 mg nicotine—Kings: 16 mg "tar," 1.1 mg nicotine—100's: 16 mg "tar," 1.2 mg nicotine av. per cigarette by FTC method.

SURGEON GENERAL'S WARNING: Smoking Causes Lung Cancer, Heart Disease, Emphysema, And May Complicate Pregnancy.

© Philip Morris Inc. 1993

67113-A2

2061186890

Source: https://www.industrydocuments.ucsf.edu/docs/skfy0003